

## AMENDMENTS

### In the Claims:

Please **amend** the pending claims by substituting the following:

Claim 1 (currently amended) A waveform data analysis method comprising:

a step of designating a waveform type from among a plurality of waveform types and performing a filter process for removing, from original waveform data, a predetermined frequency component corresponding to the designated waveform type, wherein said plurality of waveform types include at least a sustain-sound-related waveform type and a percussion-sound-related waveform type; and

a step of determining dividing positions of the original waveform data on the basis of envelope levels of the waveform data having been subjected to said filter process.

Claim 2 (original) A waveform data analysis method as claimed in claim 1 which is intended to establish waveform data control points when control is to be performed to compress or expand the original waveform data on a time axis, and wherein the dividing positions determined by said step of determining are set as the waveform data control points.

Claim 3 (previously presented)      A waveform data analysis method comprising:

a step of performing a filter process for removing components of a predetermined frequency band from original waveform data;

a step of detecting an envelope of the waveform data having been subjected to the filter process;

a step of calculating differential values of the envelope of the waveform data detected by said step of detecting; and

a step of determining dividing positions of the original waveform data on the basis of the differential values of the envelope calculated by said step of calculating.

Claim 4 (original)      A waveform data analysis method as claimed in claim 3 which further comprises an amplitude conversion step of reducing an amplitude level difference in the detected envelope, and

wherein said step of determining dividing positions determines the dividing positions of the original waveform data on the basis of differentiation of the envelope having been processed by said amplitude conversion step.

Claim 5 (original)      A waveform data analysis method as claimed in claim 3 wherein said step of determining dividing positions includes a step of detecting peak levels corresponding to the determined dividing positions.

Claim 6 (original) A waveform data analysis method as claimed in claim 3 which further comprises a step of setting a time difference (Td) between a reproduction start time point of the original waveform data and a start time point of a given dividing position of the original waveform data as

$$Td = n(Ts + Tt) - Tt,$$

where Ts represents an original time difference between a reproduction start position of the original waveform data and a start position of the given dividing position, Tt represents an original time difference between the given dividing position and a peak position where a peak level corresponding to the given dividing position occurs, and n represents an expansion/compression ratio of a reproducing tempo at which the original waveform data are to be reproduced.

Claim 7 (original) A waveform data analysis method as claimed in claim 6 which further comprises:

a step of starting reproduction of the original waveform data at the reproduction start position; and

a step of starting reproduction of the original waveform data at and after the given dividing position upon passage of the set time difference (Td) after the reproduction of the original waveform data is started.

Claim 8 (original) A computer program comprising computer program code means for performing all the steps of claim 1 when said program is run on a computer.

Claim 9 (original) A computer program comprising computer program code means for performing all the steps of claim 3 when said program is run on a computer.

10 (currently amended) A waveform data analysis apparatus comprising:  
a storage device that stores original waveform data; and  
a processor coupled with said storage device and adapted to:  
designate a waveform type from among a plurality of waveform types, wherein said plurality of waveform types include at least a sustain-sound-related waveform type and a percussion-sound-related waveform type;

read out the original waveform data from said storage device and perform a filter process for removing, from original waveform data, a predetermined frequency component corresponding to the designated waveform type; and

determine dividing positions of the original waveform data on the basis of envelope levels of the waveform data having been subjected to said filter process.

Claim 11 (original) A waveform data analysis apparatus as claimed in claim 10 wherein said processor is further adapted to store, in said storage device, data indicative of the determined dividing positions, and said processor makes available the data indicative of the dividing positions when the original waveform data stored in said storage device are to be reproduced.

Claim 12 (previously presented)      A waveform data analysis apparatus comprising:  
a storage device that stores original waveform data; and  
a processor coupled with said storage device and adapted to:  
read out the original waveform data from said storage device and perform a filter process  
for removing components of a predetermined frequency band from the original waveform data;  
detect an envelope of the waveform data having been subjected to the filter process;  
calculate differential values of the envelope of the waveform data detected; and  
determine dividing positions of the original waveform data on the basis of the differential  
values of the enveloped calculated.

Claim 13 (currently amended)      A waveform data analysis method comprising:  
a step of determining presumed beat positions in original waveform data;  
a step of detecting rise positions in the original waveform data within predetermined  
ranges corresponding to the presumed beat positions determined by said step of determining;  
~~wherein one rise position is detected for each of the predetermined ranges; and~~  
a step of analyzing the rise portions of the original waveform data, detected by said step  
of detecting, and thereby extracting one of the rise positions for each of the predetermined ranges  
as a dividing position of the original waveform data.

Claim 14 (original)      A waveform data analysis method as claimed in claim 13 wherein  
a plurality of the predetermined ranges are provided in the original waveform data at equal  
intervals.

Claim 15 (original) A waveform data analysis method as claimed in claim 13 wherein a plurality of the predetermined ranges are provided in the original waveform data in correspondence with a rhythm with which the original waveform data were recorded.

Claim 16 (original) A waveform data analysis method as claimed in claim 13 wherein a plurality of the predetermined ranges are provided in the original waveform data, and

wherein said step of extracting includes a first extraction step of, for each of the predetermined ranges, extracting the rise position as the dividing position on condition that level values corresponding to the rise position belonging to the predetermined range exceed a predetermined first threshold value.

Claim 17 (original) A waveform data analysis method as claimed in claim 16 wherein said step of extracting includes a second extraction step of, for any of the predetermined ranges where no rise position was not extracted by said first extraction step, extracting the rise position as the dividing position on condition that corresponding level values exceed a second threshold value smaller than said first threshold value.

Claim 18 (currently amended)      A waveform data analysis method comprising:

a step of detecting a plurality of rise positions in original waveform data;

a step of selecting one or more rise positions from among the plurality of rise positions detected by said step of detecting within a predetermined range of the original waveform data; and

a step of analyzing the one or more rise positions, selected by said step of selecting, and thereby determining one of the selected rise positions within each of the predetermined ranges as a single dividing position within the predetermined range. ~~dividing positions of the original waveform data, wherein one rise position is detected for each of the predetermined ranges.~~

Claim 19 (original)      A waveform data analysis method as claimed in claim 18 wherein a plurality of the predetermined ranges are provided in the original waveform data at equal intervals.

Claim 20 (original)      A waveform data analysis method as claimed in claim 18 wherein a plurality of the predetermined ranges are provided in the original waveform data in correspondence with a rhythm with which the original waveform data were recorded.

Claim 21 (original) A waveform data analysis method as claimed in claim 18 wherein a plurality of the predetermined ranges are provided in the original waveform data, and

wherein said step of extracting includes a first extraction step of, for each of the predetermined ranges, extracting the rise position as the dividing position on condition that level values corresponding to the rise position belonging to the predetermined range exceed a predetermined first threshold value.

Claim 22 (original) A waveform data analysis method as claimed in claim 21 wherein said step of extracting includes a second extraction step of, for any of the predetermined ranges where no rise position was not extracted by said first extraction step, extracting the rise position as the dividing position on condition that corresponding level values exceed a second threshold value smaller than said first threshold value.

Claim 23 (original) A computer program comprising computer program code means for performing all the steps of claim 13 when said program is run on a computer.

Claim 24 (original) A computer program comprising computer program code means for performing all the steps of claim 18 when said program is run on a computer.



Claim 25 (currently amended)      A waveform data analysis apparatus comprising:

a storage device that stores original waveform data; and

a processor coupled with said storage device and adapted to:

determine presumed beat positions in the original waveform data;

detect rise positions in the original waveform data within predetermined ranges corresponding to the determined presumed beat positions; and

analyze the detected rise portions of the original waveform data and extract any one of the detected rise positions for each of the predetermined ranges as a dividing position of the original waveform data.

Claim 26 (currently amended)      A waveform data analysis apparatus comprising:

a storage device that stores original waveform data; and

a processor coupled with said storage device and adapted to:

detect a plurality of rise positions in the original waveform data;

select one or more rise positions from among the plurality of rise positions detected within a predetermined range of the original waveform data; and

analyze the one or more selected rise positions and thereby determine one of the selected rise positions within each of the predetermined ranges as a single dividing position within the predetermined range ~~dividing positions of the original waveform data.~~

Claim 27 (currently amended)

A waveform data analysis method comprising:

a step of generating a tempo clock;

a step of reproducing automatic performance information synchronously with the tempo clock;

a step of generating a sound based on the reproduced performance information, wherein a musician can execute a musical performance to generate a waveform in conjunction with the generated sound;

a step of receiving the waveform and converting the received waveform into waveform data synchronously with the generated sound;

a step of storing the waveform data in parallel with reproduction of the automatic performance information; and

a step of recording storing a series of synchronization control data indicative of successive timing relationship between the an automatic performance information reproduced to be executed successively and the waveform data stored to be sampled successively, in correspondence with storage of the waveform data, so that the stored waveform data can be associated with timing data of the automatic performance information.

Claim 28 (original) A waveform data analysis method as claimed in claim 27 which further comprises:

a step of detecting envelope levels of the waveform data; and

a step of determining dividing positions of the waveform data on the basis of the synchronization control data and the envelope levels detected by said step of detecting envelope levels.

Claim 29 (original) A waveform data analysis method as claimed in claim 28 wherein said step of determining dividing positions includes:

a step of determining presumed dividing positions of the waveform data on the basis of the automatic performance information and the synchronization control data;

a step of detecting rise positions in the waveform data within predetermined ranges corresponding to the presumed dividing positions; and

a step of extracting any of the rise positions, detected by said step of detecting rise positions, as a dividing position of the waveform data.

Claim 30 (original) A waveform data analysis method as claimed in claim 29 wherein said step of determining presumed dividing positions determines the presumed dividing positions of the waveform data on the basis of beat timing, note-on timing or note-off timing of the automatic performance information.

Claim 31 (original) A waveform data analysis method as claimed in claim 29 wherein said step of extracting any of the rise positions as the dividing positions on the basis of characteristics of the detected rise positions.

Claim 32 (original) A waveform data analysis method as claimed in claim 27 which further comprises:

a step of determining presumed beat positions on the basis of the automatic performance information and the synchronization control data; and

a step of determining dividing positions of the waveform data on the basis of the presumed beat positions.

Claim 33 (original) A waveform data analysis method as claimed in claim 27 which further comprises:

a step of determining presumed beat positions on the basis of note-on timing of the automatic performance information and the synchronization control data; and

a step of determining dividing positions of the waveform data on the basis of the presumed beat positions.

Claim 34 (original) A waveform data analysis method as claimed in claim 27 which further comprises:

a step of determining presumed beat positions on the basis of the automatic performance information and the synchronization control data;

a step of analyzing portions of the waveform data near the presumed beat positions; and

a step of determining dividing positions in a whole of the waveform data on the basis of a result of analysis by said step of analyzing.

Claim 35 (original) A waveform data analysis method as claimed in claim 34 wherein said step of analyzing detects rise positions by analyzing an envelope of the waveform data.

Claim 36 (original) A waveform data analysis method as claimed in claim 34 wherein said step of determining dividing positions determines one dividing position for each of the presumed beat positions on the basis of a plurality of the rise positions included in the result of analysis by said step of analyzing.

Claim 37 (original) A waveform data analysis method as claimed in claim 27 wherein tempo clocks of the automatic performance information and sampling cycles of the waveform data are synchronized with each other, and the synchronization control data include timing data indicative of timing for starting storage of the waveform data.

Claim 38 (original) A waveform data analysis method as claimed in claim 27 wherein the synchronization control data include timing data indicative of timing for starting storage of the waveform data, and synchronization data to synchronize tempo clocks of the automatic performance information and sampling cycles of the waveform data.

Claim 39 (original) A computer program comprising computer program code means for performing all the steps of claim 27 when said program is run on a computer.

Claim 40 (currently amended) A waveform data analysis apparatus comprising:

- a clock generator that generates a tempo clock;
- a storage device;
- a reproduction device that reproduces automatic performance information synchronously with the tempo clock;
- a sound generator that generates a sound based on the reproduced performance information, wherein a musician can execute a musical performance to generate a waveform in conjunction with the generated sound;
- an input device that ~~inputs~~ receives the waveform and converts the  
received waveform into waveform data synchronously with the generated sound  
~~waveform data to be stored into said waveform data analysis apparatus~~; and
- a control device coupled with said storage device, said reproduction device and said input device, said control device being adapted to:

- store the waveform data in said storage device in parallel with reproduction of the automatic performance information, and perform control to record ~~store~~, in said storage device, a

~~series of~~ synchronization control data indicative of successive timing relationship between ~~the an~~ automatic performance information reproduced ~~to be executed~~ successively and ~~the~~ waveform data ~~to be sampled~~ stored successively, in correspondence with storage of the waveform data, so that the stored waveform data can be associated with timing data of the automatic performance information.

Claim 41 (previously presented)      A waveform data processing method comprising:  
a step of dividing original waveform data into a plurality of partial waveform data;  
a step of adding waveform data of an additional section to each of the partial waveform data divided from the original waveform data by said step of dividing, the waveform data of the additional section attenuating, with passage of time, from an initial value equal to an envelope level at an end of a corresponding one of the partial waveform data; and  
a step of storing, in a memory, each of the partial waveform data having the waveform data of the additional section added thereto.

Claim 42 (previously presented)      A waveform data processing method as claimed in claim 41, further comprises a step of detecting an attenuation rate of the original waveform data in the selected section, wherein the waveform data of the additional section are imparted with attenuation characteristics based on the attenuation rate detected by said step of detecting.

Claim 43 (currently amended) A waveform data processing method comprising:

a step of dividing original waveform data into a plurality of sections;

a step of, in correspondence with the sections divided from the original waveform data by said step of dividing, previously generating and storing waveform data of additional sections to be added to individual ones of the divided sections;

a step of, when a reproducing tempo for reproduction of the waveform data is faster than a predetermined standard, using the original waveform data of the individual divided sections to reproduce a waveform without using the waveform data of the additional sections; and

a step of, when the reproducing tempo is slower than the predetermined standard, reproducing a waveform by adding the waveform data of corresponding ones of the additional sections to the divided sections to follow the waveform data of the divided sections.

Claim 44 (original) A waveform data processing method as claimed in claim 43 wherein the predetermined standard is an original tempo of the original waveform data.

Claim 45 (original) A computer program comprising computer program code means for performing all the steps of claim 41 when said program is run on a computer.

Claim 46 (original) A computer program comprising computer program code means for performing all the steps of claim 43 when said program is run on a computer.



Claim 47 (previously presented)      A waveform data analysis apparatus comprising:

- a storage device that stores original waveform data; and
- a processor coupled with said storage device and adapted to:
  - divide original waveform data into a plurality of partial waveform data;
  - add waveform data of an additional section to each of the partial waveform data, the waveform data of the additional section attenuating, with passage of time, from an initial value equal to an envelope level at an end of a corresponding one of the partial waveform data; and
  - store, in a memory, each of the partial waveform data having the waveform data of the additional section added thereto.

Claim 48 (currently amended)      A waveform data analysis apparatus comprising:

- a storage device that stores original waveform data; and
- a processor coupled with said storage device and adapted to:
  - divide original waveform data into a plurality of sections;
  - in correspondence with the divided sections, previously generate and store waveform data of additional sections to be added to individual ones of the divided sections;
  - when a reproducing tempo for reproduction of the waveform data is faster than a predetermined standard, use the original waveform data of the individual divided sections to reproduce a waveform without using the waveform data of the additional sections; and
  - when the reproducing tempo is slower than the predetermined standard, reproduce a waveform by adding the waveform data of corresponding ones of the additional sections to the divided sections to follow the waveform data of the divided sections.

Claim 49 (canceled)

Claim 50 (new)      A waveform data analysis method as claimed in claim 27, wherein said step of recording records a sample number as the synchronization control data, every predetermined number of the tempo clock, in parallel with reproduction of the automatic performance information.

Claim 51 (new)      A waveform data analysis method as claimed in claim 27, wherein said step of recording records a sample number as the synchronization control data, at each beat timing of the reproduced automatic performance information.

Claim 52 (new)      A waveform data analysis method as claimed in claim 27, wherein said step of recording records a sequence position of the automatic performance information, every predetermined number of the waveform data samples, in parallel with reproduction of the automatic performance information.

Claim 53 (new)      A waveform data processing method as claimed in claim 41, which further comprises:

a step of, when a reproducing tempo for reproduction of a waveform is faster than a predetermined standard, using each of the partial waveform data divided by said step of dividing to reproduce a waveform without using the waveform data of the additional sections; and

a step of, when the reproducing tempo for reproduction of a waveform is slower than the predetermined standard, using the partial waveform data stored in said memory to reproduce a waveform comprising the partial waveform data each having the waveform data of the additional section added thereto.